

6

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 March 2003 (27.03.2003)

PCT

(10) International Publication Number
WO 03/024227 A2

(51) International Patent Classification⁷: **A01N 47/36**
// (A01N 47/36, 47:36, 43:88, 37:40)

(21) International Application Number: PCT/EP02/10541

(22) International Filing Date:
19 September 2002 (19.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
1733/01 20 September 2001 (20.09.2001) CH

(71) Applicant (*for all designated States except US*): SYNGENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): KOTZIAN, Georg, Rüdiger [DE/CH]; Syngenta Crop Protection AG, Schwarzwaldallee 215, CH-4058 Basel (CH).

(74) Agent: BASTIAN, Werner; c/o Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HERBICIDAL COMPOSITION

(57) Abstract: A herbicidal composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of at least two compounds selected from the group amidosulfuron, bentazone, bifenox, diflufenican, dicamba, dimethenamid, fenoxaprop-P-ethyl, flurtamone, glufosinate, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, beflubutamid, imazosulfuron, pyraflufen (-ethyl), cinidon-ethyl, 2,4 D, MCPA, MCPP, picolinafen, pendimethalin, imazethapyr, imazapic, imazapyr, imazaquin, imazamox, imazamethabenz-methyl and mesosulfuron, with a mixture of picolinafen and cinidon-ethyl being excluded.

WO 03/024227 A2

Herbicidal composition

The present invention relates to a novel herbicidal synergistic composition comprising a herbicidal active ingredient combination that is suitable for the selective control of weeds in crops of useful plants, for example in cereal crops.

The invention relates also to a method of controlling weeds in crops of useful plants and to the use of the novel composition for that purpose.

The compounds amidosulfuron, bentazone, bifenox, diflufenican, dicamba, dimethenamid, flurtamone, glufosinate, fenoxaprop-P-ethyl, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, beflubutamid, imazosulfuron, cinidon-ethyl, 2,4 D, MCPA, MCPP, picolinafen, pendimethalin, pyraflufen (-ethyl) and imazethapyr exhibit herbicidal activity, as described, for example, in The Pesticide Manual, 12th Edition (BCPC), 2000. Mesosulfuron is known from EP-A-559 814 and WO 01/24633, in which the herbicidal activity of this compound is described.

Surprisingly, it has now been found that a combination of variable amounts of at least two active ingredients from the above list exhibits a synergistic action that is capable of controlling, both pre-emergence and post-emergence, the majority of weeds occurring especially in crops of useful plants without causing any appreciable damage to the useful plant.

There is therefore proposed in accordance with the present invention a novel synergistic composition for selective weed control which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of at least two compounds selected from the group amidosulfuron, bentazone, bifenox, diflufenican, dicamba, dimethenamid, fenoxaprop-P-ethyl, flurtamone, glufosinate, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, beflubutamid, imazosulfuron, pyraflufen (-ethyl), cinidon-ethyl, 2,4 D, MCPA, MCPP, picolinafen, pendimethalin, imazethapyr, imazapic, imazapyr, imazaquin, imazamox, imazamethabenz-methyl and mesosulfuron, with a mixture of picolinafen and cinidon-ethyl being excluded.

It is extremely surprising that combinations of those active ingredients exceed the additive action on the weeds to be controlled that is to be expected in principle and thus broaden the range of action of the two active ingredients especially in two respects: firstly, the rates of application of the individual compounds are reduced while a good level of action is maintained and, secondly, the composition according to the invention achieves a high level of weed control also in those cases where the individual substances, in the range of low rates of application, have become useless from the agronomic standpoint. The result is a considerable broadening of the spectrum of weeds and an additional increase in selectivity in respect of the crops of useful plants, as is necessary and desirable in the event of an unintentional overdose of active ingredient. The composition according to the invention, while retaining excellent control of weeds in useful plants, also allows greater flexibility in succeeding crops.

The composition according to the invention can be used against a large number of agronomically important weeds, such as *Stellaria*, *Nasturtium*, *Agrostis*, *Digitaria*, *Avena*, *Setaria*, *Sinapis*, *Lolium*, *Solanum*, *Bromus*, *Apera*, *Alopecurus*, *Matricaria*, *Abutilon*, *Sida*, *Xanthium*, *Amaranthus*, *Chenopodium*, *Ipomoea*, *Chrysanthemum*, *Galium*, *Viola* and *Veronica*. The composition according to the invention is suitable for all methods of application conventionally used in agriculture, e.g. pre-emergence application, post-emergence application and seed dressing. The composition according to the invention is suitable especially for controlling weeds in crops of useful plants such as cereals and maize and more especially for controlling weeds in cereals. "Crops of useful plants" are to be understood as including those which have been made tolerant to herbicides or classes of herbicides as a result of conventional methods of breeding or genetic engineering.

The composition according to the invention comprises the said active ingredients in any mixing ratio, but usually has an excess of one component over the other. Preferred mixing ratios of the active ingredients are from 100:1 to 1:100 and from 50:1 to 1:50.

The following combinations have proved to be especially effective compositions: amidosulfuron + dicamba, bentazone + dicamba, flurtamone + dimethenamid, fenoxaprop-P-ethyl + bromoxynil, fenoxaprop-P-ethyl + ioxynil, glufosinate + dimethenamid, iodosulfuron-methyl (sodium) + dicamba, iodosulfuron-methyl (sodium) + bentazone, iodosulfuron-methyl (sodium) + mesosulfuron, ioxynil + dicamba, ioxynil + bentazone, and ioxynil + mesosulfuron. The mixtures comprising iodosulfuron-methyl (sodium) or mesosulfuron are especially preferred.

The rate of application may vary within wide limits and depends on the nature of the soil, the method of application (pre- or post-emergence; seed dressing; application to the seed furrow; no tillage application etc.), the crop plant, the weed to be controlled, the prevailing climatic conditions, and other factors governed by the method of application, the time of application and the target crop. The active ingredient mixture according to the invention can generally be applied at a rate of from 0.001 to 1.5 kg of active ingredient mixture per ha.

The mixtures according to the invention may be employed in unmodified form, that is to say as obtained in synthesis. Preferably, however, they are formulated in customary manner, together with the adjuvants conventionally used in formulation technology, such as solvents, solid carriers or surfactants, for example into emulsifiable concentrates, directly sprayable or dilutable solutions, wettable powders, soluble powders, dusts, granules or microcapsules, as described in WO 97/34483, pages 9 to 13. As with the nature of the compositions, the methods of application, such as spraying, atomising, dusting, wetting, scattering or pouring, are chosen in accordance with the intended objectives and the prevailing circumstances. The formulations, i.e. the media, preparations or compositions comprising the mixtures according to the invention and also, as appropriate, one or more solid or liquid formulation adjuvants, are prepared in a manner known *per se*, e.g. by intimately mixing and/or grinding the active ingredients with the formulation adjuvants, e.g. solvents or solid carriers. In addition, surface-active compounds (surfactants) may also be used in the preparation of the formulations.

Examples of solvents and solid carriers are given, for example, in WO 97/34485, page 6. Depending on the nature of the active ingredients to be formulated, suitable surface-active compounds are non-ionic, cationic and/or anionic surfactants and surfactant mixtures having good emulsifying, dispersing and wetting properties. Examples of suitable anionic, non-ionic and cationic surfactants are listed, for example, in WO 97/34485, pages 7 and 8. Also suitable for the preparation of the herbicidal compositions according to the invention are the surfactants conventionally employed in formulation technology, which are described, *inter alia*, in "McCutcheon's Detergents and Emulsifiers Annual" MC Publishing Corp., Ridgewood New Jersey, 1981, Stache, H., "Tensid-Taschenbuch", Carl Hanser Verlag, Munich/Vienna, 1981 and M. and J. Ash, "Encyclopedia of Surfactants", Vol I-III, Chemical Publishing Co., New York, 1980-81.

The herbicidal formulations usually contain from 0.1 to 99 % by weight, especially from 0.1 to 95 % by weight, of active ingredient mixture, from 1 to 99.9 % by weight of a solid or liquid formulation adjuvant, and from 0 to 25 % by weight, especially from 0.1 to 25 % by weight, of a surfactant.

Whereas commercial products are usually formulated as concentrates, the end user will normally employ dilute formulations. The compositions may also comprise further ingredients, such as stabilisers, e.g. vegetable oils or epoxidised vegetable oils (epoxidised coconut oil, rapeseed oil or soybean oil), antifoams, e.g. silicone oil, preservatives, viscosity regulators, binders, tackifiers and also fertilisers or other active ingredients. Preferred formulations have especially the following compositions:

(% = percent by weight)

Emulsifiable concentrates:

active ingredient mixture:	1 to 90 %, preferably 5 to 20 %
surfactant:	1 to 30 %, preferably 10 to 20 %
liquid carrier:	5 to 94 %, preferably 70 to 85 %

Dusts:

active ingredient mixture:	0.1 to 10 %, preferably 0.1 to 5 %
solid carrier:	99.9 to 90 %, preferably 99.9 to 99 %

Suspension concentrates:

active ingredient mixture:	5 to 75 %, preferably 10 to 50 %
water:	94 to 24 %, preferably 88 to 30 %
surfactant:	1 to 40 %, preferably 2 to 30 %

Wettable powders:

active ingredient mixture:	0.5 to 90 %, preferably 1 to 80 %
surfactant:	0.5 to 20 %, preferably 1 to 15 %
solid carrier:	5 to 95 %, preferably 15 to 90 %

Granules:

active ingredient mixture:	0.1 to 30 %, preferably 0.1 to 15 %
solid carrier:	99.5 to 70 %, preferably 97 to 85 %

The following Examples illustrate the invention further, but do not limit the invention.

- 5 -

<u>F1. Emulsifiable concentrates</u>	a)	b)	c)	d)
active ingredient mixture	5 %	10 %	25 %	50 %
calcium dodecylbenzenesulfonate	6 %	8 %	6 %	8 %
castor oil polyglycol ether (36 mol of ethylene oxide)	4 %	-	4 %	4 %
octylphenol polyglycol ether (7-8 mol of ethylene oxide)	-	4 %	-	2 %
cyclohexanone	-	-	10 %	20 %
arom. hydrocarbon mixture	85 %	78 %	55 %	16 %
C ₉ -C ₁₂				

Emulsions of any desired concentration can be obtained from such concentrates by dilution with water.

<u>F2. Solutions</u>	a)	b)	c)	d)
active ingredient mixture	5 %	10 %	50 %	90 %
1-methoxy-3-(3-methoxy-propoxy)-propane	-	20 %	20 %	-
polyethylene glycol MW 400	20 %	10 %	-	-
N-methyl-2-pyrrolidone	-	-	30 %	10 %
arom. hydrocarbon mixture	75 %	60 %	-	-
C ₉ -C ₁₂				

The solutions are suitable for use in the form of microdrops.

<u>F3. Wettable powders</u>	a)	b)	c)	d)
active ingredient mixture	5 %	25 %	50 %	80 %
sodium lignosulfonate	4 %	-	3 %	-
sodium lauryl sulfate	2 %	3 %	-	4 %
sodium diisobutyl naphthalene-sulfonate	-	6 %	5 %	6 %
octylphenol polyglycol ether (7-8 mol of ethylene oxide)	-	1 %	2 %	-
highly dispersed silicic acid	1 %	3 %	5 %	10 %
kaolin	88 %	62 %	35 %	-

The active ingredient is mixed thoroughly with the adjuvants and the mixture is thoroughly ground in a suitable mill, affording wettable powders which can be diluted with water to give suspensions of any desired concentration.

- 6 -

<u>F4. Coated granules</u>	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %
highly dispersed silicic acid	0.9 %	2 %	2 %
inorganic carrier	99.0 %	93 %	83 %
(diameter 0.1 - 1 mm)			
e.g. CaCO ₃ or SiO ₂			

The active ingredient is dissolved in methylene chloride and applied to the carrier by spraying, and the solvent is then evaporated off *in vacuo*.

<u>F5. Coated granules</u>	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %
polyethylene glycol MW 200	1.0 %	2 %	3 %
highly dispersed silicic acid	0.9 %	1 %	2 %
inorganic carrier	98.0 %	92 %	80 %
(diameter 0.1 - 1 mm)			
e.g. CaCO ₃ or SiO ₂			

The finely ground active ingredient is uniformly applied, in a mixer, to the carrier moistened with polyethylene glycol. Non-dusty coated granules are obtained in this manner.

<u>F6. Extruder granules</u>	a)	b)	c)	d)
active ingredient mixture	0.1 %	3 %	5 %	15 %
sodium lignosulfonate	1.5 %	2 %	3 %	4 %
carboxymethylcellulose	1.4 %	2 %	2 %	2 %
kaolin	97.0 %	93 %	90 %	79 %

The active ingredient is mixed and ground with the adjuvants, and the mixture is moistened with water. The mixture is extruded and then dried in a stream of air.

<u>F7. Dusts</u>	a)	b)	c)
active ingredient mixture	0.1 %	1 %	5 %
talcum	39.9 %	49 %	35 %
kaolin	60.0 %	50 %	60 %

Ready-to-use dusts are obtained by mixing the active ingredient with the carriers and grinding the mixture in a suitable mill.

<u>F8. Suspension concentrates</u>	a)	b)	c)	d)
active ingredient mixture	3 %	10 %	25 %	50 %
ethylene glycol	5 %	5 %	5 %	5 %
nonylphenol polyglycol ether	-	1 %	2 %	-

- 7 -

(15 mol of ethylene oxide)

sodium lignosulfonate	3 %	3 %	4 %	5 %
carboxymethylcellulose	1 %	1 %	1 %	1 %
37 % aqueous formaldehyde solution	0.2 %	0.2 %	0.2 %	0.2 %
silicone oil emulsion	0.8 %	0.8 %	0.8 %	0.8 %
water	87 %	79 %	62 %	38 %

The finely ground active ingredient is intimately mixed with the adjuvants, giving a suspension concentrate from which suspensions of any desired concentration can be obtained by dilution with water.

It is often more practical for the active ingredients of the mixtures according to the invention to be formulated separately and to be brought together in the desired mixing ratio in the applicator in the form of a "tank mixture" in water shortly before application.

Biological Examples:Example B1: Pre-emergence test:

The test plants are sown in pots under greenhouse conditions. A standard soil is used as cultivation substrate. At a pre-emergence stage the herbicides are applied to the surface of the soil both alone and in admixture. The rates of application are governed by the optimum concentrations determined under field or greenhouse conditions. The tests are evaluated 2 to 4 weeks later (100% action = plant has completely died; 0% action = no phytotoxic action). The mixtures used in this test exhibit good results.

Example B2: Post-emergence test:

The test plants are raised to a post-application stage in pots under greenhouse conditions. A standard soil is used as cultivation substrate. At a post-emergence stage the herbicides are applied to the test plants both alone and in admixture. The rates of application are governed by the optimum concentrations determined under field or greenhouse conditions. The tests are evaluated 2 to 4 weeks later (100% action = plant has completely died; 0% action = no phytotoxic action). The mixtures used in this test exhibit good results.

What is claimed is:

1. A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of at least two compounds selected from the group amidosulfuron, bentazone, bifenox, diflufenican, dicamba, dimethenamid, fenoxaprop-P-ethyl, flurtamone, glufosinate, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, beflubutamid, imazosulfuron, pyraflufen (-ethyl), cinidon-ethyl, 2,4 D, MCPA, MCPP, picolinafen, pendimethalin, imazethapyr, imazapic, imazapyr, imazaquin, imazamox, imazamethabenz-methyl and mesosulfuron, with a mixture of picolinafen and cinidon-ethyl being excluded.
2. A method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to claim 1 to act on the crop plant or the locus thereof.
3. A method according to claim 2, wherein the crop plant is a cereal.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 March 2003 (27.03.2003)

PCT

(10) International Publication Number
WO 03/024227 A3

(51) International Patent Classification⁷: A01N 47/36,
43/10, 37/40, 47/36, 43/88, 57/20, 43/08, 37/40, 43/76

(21) International Application Number: PCT/EP02/10541

(22) International Filing Date:
19 September 2002 (19.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
1733/01 20 September 2001 (20.09.2001) CH

(71) Applicant (*for all designated States except US*): SYNGENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): KOTZIAN, Georg, Rüdiger [DE/CH]; Syngenta Crop Protection AG, Schwarzwaldallee 215, CH-4058 Basel (CH).

(74) Agent: BASTIAN, Werner; c/o Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:
30 October 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HERBICIDAL COMPOSITION

(57) Abstract: A herbicidal composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of at least two compounds selected from the group amidosulfuron, bentazone, bifenox, diflufenican, dicamba, dimethenamid, fenoxaprop-P-ethyl, flurtamone, glufosinate, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, beflubutamid, imazosulfuron, pyraflufen (-ethyl), cinidon-ethyl, 2,4 D, MCPA, MCPP, picolinafen, pendimethalin, imazethapyr, imazapic, imazapyr, imazaquin, imazamox, imazamethabenz-methyl and mesosulfuron, with a mixture of picolinafen and cinidon-ethyl being excluded.

WO 03/024227 A3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/10541

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A01N47/36 A01N43/10 A01N37/40 //(A01N47/36,47:36,43:88, 37:40),(A01N43/10,57:20,43:08),(A01N37/40,43:88,43:76,37:40)		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A01N		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) WPI Data, PAJ, EPO-Internal, CHEM ABS Data, CAB Data		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CA [Online] CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; D.A.WALL: "Bentazon tank-mixtures for improved redroot pigweed (<i>Amaranthus retroflexus</i>) and common lambsquarters (<i>Chenopodium album</i>) control in Navy bean (<i>Phaseolus vulgaris</i>)" retrieved from STN-INTERNATIONAL Database accession no. 123:308602 CA XP002228283 abstract & WEED TECHNOLOGY, vol. 9, no. 3, 1995, pages 610-616, --- -/--	1-3
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search 22 January 2003		Date of mailing of the international search report 10 04 2003
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016		Authorized officer LAMERS, W

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/10541

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 525 474 A (HOECHST AG) 3 February 1993 (1993-02-03) page 2, line 8 -page 4, line 37 page 8; table 2 ---	1-3
A	DE 199 55 662 A (BAYER AG) 23 May 2001 (2001-05-23) page 2, line 12 - line 43 page 2, line 47 - line 48 page 2, line 59 page 2, line 66 - line 68 page 3, line 14 page 3, line 24 - line 25 page 5, line 58 -page 6, line 1 ---	1-3
A	WO 99 13723 A (MENDONCA WILSON ;CARVALHO CASTRO KELLY NEOOB DE (BR); SALZMAN FRED) 25 March 1999 (1999-03-25) page 4, line 6 -page 5, line 18 ---	1-3
A	DE 196 35 060 A (BAYER AG) 5 March 1998 (1998-03-05) page 2, line 10 - line 41 page 2, line 47 page 2, line 49 page 3, line 18 page 3, line 20 page 3, line 24 - line 26 page 3, line 41 - line 42 ---	1-3
A	WO 01 22819 A (DREWES MARK WILHELM ;FEUCHT DIETER (DE); BAYER AG (DE); DAHMEN PET) 5 April 2001 (2001-04-05) page 1, line 19 -page 3, line 11 page 6, line 18 - line 19 page 8, line 21 - line 22 ---	1-3
A	WO 01 24633 A (FEUCHT DIETER ;BAYER AG (DE); FUERSCH HELMUT (DE); KREMER MATHIAS) 12 April 2001 (2001-04-12) page 1, line 16 -page 3, line 18 page 6, line 15 - line 17 page 16, line 11 -page 17, line 10 -----	1-3

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 02/10541

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

claims 1-3 (partially)

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: INVENTIONS 1-27: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of amidosulfuron and at least:

- bentazone (INVENTION 1);
- bifenox (INV.2);
- diflufenican (INV.3);
- dicamba (INV.4);
- dimethenamid (INV.5);
- fenoxaprop-P-ethyl (INV.6);
- flurtamone (INV.7);
- glufosinate (INV.8);
- iodosulfuron-methyl (sodium) (INV.9);
- bromoxynil (INV.10);
- ioxynil (INV.11);
- beflubutamid (INV.12);
- imazosulfuron (INV.13);
- pyraflufen(-ethyl) (INV.14);
- cinidon-ethyl (INV.15);
- 2,4-D (INV.16);
- MCPA (INV.17);
- MCPP (INV.18);
- picolinafen (INV.19);
- pendimethalin (INV.20);
- imazethapyr (INV.21);
- imazapic (INV.22);
- imazapyr (INV.23);
- imazaquin (INV.24);
- imazamox (INV.25);
- imazamethabenz-methyl (INV.26);
- mesosulfuron (INV.27).

2. Claims: INVENTIONS 28 - 53: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of bentazon and at least:

- bifenox (INV.28);
- diflufenican (INV.29);
- dicamba (INV.30);
- dimethenamid (INV.31);
- fenoxaprop-P-ethyl (INV.32);
- flurtamone (INV.33);
- glufosinate (INV.34);
- iodosulfuron-methyl (sodium) (INV.35);
- bromoxynil (INV.36);
- ioxynil (INV.37);
- beflubutamid (INV.38);
- imazosulfuron (INV.39);

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

- pyraflufen(-ethyl) (INV.40);
- cinidon-ethyl (INV.41);
- 2,4-D (INV.42);
- MCPA (INV.43);
- MCPP (INV.44);
- picolinafen (INV.45);
- pendimethalin (INV.46);
- imazethapyr (INV.47);
- imazapic (INV.48);
- imazapyr (INV.49);
- imazaquin (INV.50);
- imazamox (INV.51);
- imazamethabenz-methyl (INV.52);
- mesosulfuron (INV.53).

3. Claims: INVENTIONS 54 - 78: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of bifenox and at least:

- diflufenican (INV.54);
- dicamba (INV.55);
- dimethenamid (INV.56);
- fenoxaprop-P-ethyl (INV.57);
- flurtamone (INV.58);
- glufosinate (INV.59);
- iodosulfuron-methyl (sodium) (INV.60);
- bromoxynil (INV.61);
- ioxynil (INV.62);
- beflubutamid (INV.63);
- imazosulfuron (INV.64);
- pyraflufen(-ethyl) (INV.65);
- cinidon-ethyl (INV.66);
- 2,4-D (INV.67);
- MCPA (INV.68);
- MCPP (INV.69);
- picolinafen (INV.70);
- pendimethalin (INV.71);
- imazethapyr (INV.72);
- imazapic (INV.73);
- imazapyr (INV.74);
- imazaquin (INV.75);
- imazamox (INV.76);
- imazamethabenz-methyl (INV.77);
- mesosulfuron (INV.78).

4. Claims: INVENTIONS 79 - 102 : claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of diflufenican and at least:

- dicamba (INV.79);
- dimethenamid (INV.80);

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

- fenoxaprop-P-ethyl (INV.81);
- flurtamone (INV.82);
- glufosinate (INV.83);
- iodosulfuron-methyl (sodium) (INV.84);
- bromoxynil (INV.85);
- ioxynil (INV.86);
- beflubutamid (INV.87);
- imazosulfuron (INV.88);
- pyraflufen(-ethyl) (INV.89);
- cinidon-ethyl (INV.90);
- 2,4-D (INV.91);
- MCPA (INV.92);
- MCPP (INV.93);
- picolinafen (INV.94);
- pendimethalin (INV.95);
- imazethapyr (INV.96);
- imazapic (INV.97);
- imazapyr (INV.98);
- imazaquin (INV.99);
- imazamox (INV.100);
- imazamethabenz-methyl (INV.101);
- mesosulfuron (INV.102).

5. Claims: INVENTIONS 103 - 125: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of dicamba and at least:

- dimethenamid (INV.103);
- fenoxaprop-P-ethyl (INV.104);
- flurtamone (INV.105);
- glufosinate (INV.106);
- iodosulfuron-methyl (sodium) (INV.107);
- bromoxynil (INV.108);
- ioxynil (INV.109);
- beflubutamid (INV.110);
- imazosulfuron (INV.111);
- pyraflufen(-ethyl) (INV.112);
- cinidon-ethyl (INV.113);
- 2,4-D (INV.114);
- MCPA (INV.115);
- MCPP (INV.116);
- picolinafen (INV.117);
- pendimethalin (INV.118);
- imazethapyr (INV.119);
- imazapic (INV.120);
- imazapyr (INV.121);
- imazaquin (INV.122);
- imazamox (INV.123);
- imazamethabenz-methyl (INV.124);
- mesosulfuron (INV.125).

6. Claims: INVENTIONS 126 - 147: claims 1-3 (partially)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of dimethenamid and at least:

- fenoxaprop-P-ethyl (INV.126);
- flurtamone (INV.127);
- glufosinate (INV.128);
- iodosulfuron-methyl (sodium) (INV.129);
- bromoxynil (INV.130);
- ioxynil (INV.131);
- beflubutamid (INV.132);
- imazosulfuron (INV.133);
- pyraflufen(-ethyl) (INV.134);
- cinidon-ethyl (INV.135);
- 2,4-D (INV.136);
- MCPA (INV.137);
- MCPP (INV.138);
- picolinafen (INV.139);
- pendimethalin (INV.140);
- imazethapyr (INV.141);
- imazapic (INV.142);
- imazapyr (INV.143);
- imazaquin (INV.144);
- imazamox (INV.145);
- imazamethabenz-methyl (INV.146);
- mesosulfuron (INV.147).

7. Claims: INVENTIONS 148 - 168: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of fenoxaprop-P-ethyl and at least:

- flurtamone (INV.148);
- glufosinate (INV.149);
- iodosulfuron-methyl (sodium) (INV.150);
- bromoxynil (INV.151);
- ioxynil (INV.152);
- beflubutamid (INV.153);
- imazosulfuron (INV.154);
- pyraflufen(-ethyl) (INV.155);
- cinidon-ethyl (INV.156);
- 2,4-D (INV.157);
- MCPA (INV.158);
- MCPP (INV.159);
- picolinafen (INV.160);
- pendimethalin (INV.161);
- imazethapyr (INV.162);
- imazapic (INV.163);
- imazapyr (INV.164);
- imazaquin (INV.165);
- imazamox (INV.166);
- imazamethabenz-methyl (INV.167);
- mesosulfuron (INV.168).

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

8. Claims: INVENTIONS 169 - 188: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of flurtamone and at least:

- glufosinate (INV.169);
- iodosulfuron-methyl (sodium) (INV.170);
- bromoxynil (INV.171);
- ioxynil (INV.172);
- beflubutamid (INV.173);
- imazosulfuron (INV.174);
- pyraflufen(-ethyl) (INV.175);
- cinidon-ethyl (INV.176);
- 2,4-D (INV.177);
- MCPA (INV.178);
- MCPP (INV.179);
- picolinafen (INV.180);
- pendimethalin (INV.181);
- imazethapyr (INV.182);
- imazapic (INV.183);
- imazapyr (INV.184);
- imazaquin (INV.185);
- imazamox (INV.186);
- imazamethabenz-methyl (INV.187);
- mesosulfuron (INV.188).

9. Claims: INVENTIONS 189 - 207: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of glufosinate and at least:

- iodosulfuron-methyl (sodium) (INV.189);
- bromoxynil (INV.190);
- ioxynil (INV.191);
- beflubutamid (INV.192);
- imazosulfuron (INV.193);
- pyraflufen(-ethyl) (INV.194);
- cinidon-ethyl (INV.195);
- 2,4-D (INV.196);
- MCPA (INV.197);
- MCPP (INV.198);
- picolinafen (INV.199);
- pendimethalin (INV.200);
- imazethapyr (INV.201);
- imazapic (INV.202);
- imazapyr (INV.203);
- imazaquin (INV.204);
- imazamox (INV.205);
- imazamethabenz-methyl (INV.206);
- mesosulfuron (INV.207).

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

10. Claims: INVENTIONS 208 - 225: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of iodosulfuron-methyl (sodium) and at least:

- bromoxynil (INV.208);
- ioxynil (INV.209);
- beflubutamid (INV.210);
- imazosulfuron (INV.211);
- pyraflufen(-ethyl) (INV.212);
- cinidon-ethyl (INV.213);
- 2,4-D (INV.214);
- MCPA (INV.215);
- MCPP (INV.216);
- picolinafen (INV.217);
- pendimethalin (INV.218);
- imazethapyr (INV.219);
- imazapic (INV.220);
- imazapyr (INV.221);
- imazaquin (INV.222);
- imazamox (INV.223);
- imazamethabenz-methyl (INV.224);
- mesosulfuron (INV.225).

11. Claims: INVENTIONS 226 - 242: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of bromoxynil and at least:

- ioxynil (INV.226);
- beflubutamid (INV.227);
- imazosulfuron (INV.228);
- pyraflufen(-ethyl) (INV.229);
- cinidon-ethyl (INV.230);
- 2,4-D (INV.231);
- MCPA (INV.232);
- MCPP (INV.233);
- picolinafen (INV.234);
- pendimethalin (INV.235);
- imazethapyr (INV.236);
- imazapic (INV.237);
- imazapyr (INV.238);
- imazaquin (INV.239);
- imazamox (INV.240);
- imazamethabenz-methyl (INV.241);
- mesosulfuron (INV.242).

12. Claims: INVENTIONS 243 - 258: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of ioxynil and at least:

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

- beflubutamid (INV.243);
- imazosulfuron (INV.244);
- pyraflufen(-ethyl) (INV.245);
- cinidon-ethyl (INV.246);
- 2,4-D (INV.247);
- MCPA (INV.248);
- MCPP (INV.249);
- picolinafen (INV.250);
- pendimethalin (INV.251);
- imazethapyr (INV.252);
- imazapic (INV.253);
- imazapyr (INV.254);
- imazaquin (INV.255);
- imazamox (INV.256);
- imazamethabenz-methyl (INV.257);
- mesosulfuron (INV.258).

13. Claims: INVENTIONS 259 - 273: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of beflubutamid and at least:

- imazosulfuron (INV.259);
- pyraflufen(-ethyl) (INV.260);
- cinidon-ethyl (INV.261);
- 2,4-D (INV.262);
- MCPA (INV.263);
- MCPP (INV.264);
- picolinafen (INV.265);
- pendimethalin (INV.266);
- imazethapyr (INV.267);
- imazapic (INV.268);
- imazapyr (INV.269);
- imazaquin (INV.270);
- imazamox (INV.271);
- imazamethabenz-methyl (INV.272);
- mesosulfuron (INV.273).

14. Claims: INVENTIONS 274 - 287: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazosulfuron and at least:

- pyraflufen(-ethyl) (INV.274);
- cinidon-ethyl (INV.275);
- 2,4-D (INV.276);
- MCPA (INV.277);
- MCPP (INV.278);
- picolinafen (INV.279);
- pendimethalin (INV.280);
- imazethapyr (INV.281);
- imazapic (INV.282);
- imazapyr (INV.283);

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

- imazaquin (INV.284);
- imazamox (INV.285);
- imazamethabenz-methyl (INV.286);
- mesosulfuron (INV.287).

15. Claims: INVENTIONS 288 - 300: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of pyraflufen(-ethyl) and at least:

- cinidon-ethyl (INV.288);
- 2,4-D (INV.289);
- MCPA (INV.290);
- MCPP (INV.291);
- picolinafen (INV.292);
- pendimethalin (INV.293);
- imazethapyr (INV.294);
- imazapic (INV.295);
- imazapyr (INV.296);
- imazaquin (INV.297);
- imazamox (INV.298);
- imazamethabenz-methyl (INV.299);
- mesosulfuron (INV.300).

16. Claims: INVENTIONS 301 - 311: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of cinidon-ethyl and at least:

- 2,4-D (INV.301);
- MCPA (INV.302);
- MCPP (INV.303);
- pendimethalin (INV.304);
- imazethapyr (INV.305);
- imazapic (INV.306);
- imazapyr (INV.307);
- imazaquin (INV.308);
- imazamox (INV.309);
- imazamethabenz-methyl (INV.310);
- mesosulfuron (INV.311).

17. Claims: INVENTIONS 312 - 322: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of 2,4-D and at least:

- MCPA (INV.312);
- MCPP (INV.313);
- picolinafen (INV.314);
- pendimethalin (INV.315);
- imazethapyr (INV.316);

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

- imazapic (INV.317);
- imazapyr (INV.318);
- imazaquin (INV.319);
- imazamox (INV.320);
- imazamethabenz-methyl (INV.321);
- mesosulfuron (INV.322).

18. Claims: INVENTIONS 323 - 332: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of MCPA and at least:

- MCPP (INV.323);
- picolinafen (INV.324);
- pendimethalin (INV.325);
- imazethapyr (INV.326);
- imazapic (INV.327);
- imazapyr (INV.328);
- imazaquin (INV.329);
- imazamox (INV.330);
- imazamethabenz-methyl (INV.331);
- mesosulfuron (INV.332).

19. Claims: INVENTIONS 333 - 341: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of MCPP and at least:

- picolinafen (INV.333);
- pendimethalin (INV.334);
- imazethapyr (INV.335);
- imazapic (INV.336);
- imazapyr (INV.337);
- imazaquin (INV.338);
- imazamox (INV.339);
- imazamethabenz-methyl (INV.340);
- mesosulfuron (INV.341).

20. Claims: INVENTIONS 342 - 349: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of picolinafen and at least:

- pendimethalin (INV.342);
- imazethapyr (INV.343);
- imazapic (INV.344);
- imazapyr (INV.345);
- imazaquin (INV.346);
- imazamox (INV.347);
- imazamethabenz-methyl (INV.348);
- mesosulfuron (INV.349).

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

21. Claims: INVENTIONS 350 - 356: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of pendimethalin and at least:

- imazethapyr (INV.350);
- imazapic (INV.351);
- imazapyr (INV.352);
- imazaquin (INV.353);
- imazamox (INV.354);
- imazamethabenz-methyl (INV.355);
- mesosulfuron (INV.356).

22. Claims: INVENTIONS 357 - 362: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazethapyr and at least:

- imazapic (INV.357);
- imazapyr (INV.358);
- imazaquin (INV.359);
- imazamox (INV.360);
- imazamethabenz-methyl (INV.361);
- mesosulfuron (INV.362).

23. Claims: INVENTIONS 363 - 367: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazapic and at least:

- imazapyr (INV.363);
- imazaquin (INV.364);
- imazamox (INV.365);
- imazamethabenz-methyl (INV.366);
- mesosulfuron (INV.367).

24. Claims: INVENTIONS 368 - 371: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazapyr and at least:

- imazaquin (INV.368);
- imazamox (INV.369);
- imazamethabenz-methyl (INV.370);
- mesosulfuron (INV.371).

25. Claims: INVENTIONS 372 - 374: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

as active ingredient a mixture of imazaquin and at least:

- imazamox (INV.372);
- imazamethabenz-methyl (INV.373);
- mesosulfuron (INV.374).

26. Claims: INVENTIONS 375 - 376: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazamox and at least:

- imazamethabenz-methyl (INV.375);
- mesosulfuron (INV.376).

27. Claims: INVENTION 377: claims 1-3 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of imazamethabenz-methyl and at least mesosulfuron (INV.377).

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/10541

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0525474	A	03-02-1993	AT 143767 T	15-10-1996
			AT 192280 T	15-05-2000
			AT 190467 T	15-04-2000
			AU 650552 B2	23-06-1994
			AU 1959292 A	14-01-1993
			BR 9202574 A	16-03-1993
			CA 2073597 A1	13-01-1993
			CN 1068472 A ,B	03-02-1993
			CN 1231121 A	13-10-1999
			CZ 9202161 A3	13-01-1993
			DE 59207323 D1	14-11-1996
			DE 59209824 D1	20-04-2000
			DE 59209835 D1	08-06-2000
			DK 525474 T3	18-11-1996
			DK 713646 T3	07-08-2000
			DK 807381 T3	05-06-2000
			EP 0525474 A2	03-02-1993
			EP 0713646 A2	29-05-1996
			EP 0807381 A2	19-11-1997
			EP 0807382 A2	19-11-1997
			ES 2095358 T3	16-02-1997
			ES 2147816 T3	01-10-2000
			ES 2146940 T3	16-08-2000
			GR 3021317 T3	31-01-1997
			HU 61657 A2	01-03-1993
			HU 213388 B	30-06-1997
			IE 922260 A1	13-01-1993
			JP 5194124 A	03-08-1993
			MX 9204083 A1	01-01-1993
			PL 295247 A1	28-06-1993
			PL 172183 B1	29-08-1997
			PL 172194 B1	29-08-1997
			PL 172217 B1	29-08-1997
			PL 172193 B1	29-08-1997
			PT 713646 T	31-08-2000
			PT 807381 T	30-06-2000
			RO 117587 B1	30-05-2002
			RU 2128437 C1	10-04-1999
			SK 216192 A3	08-06-1994
			RU 2083107 C1	10-07-1997
			TR 28811 A	07-04-1997
			US 5650375 A	22-07-1997
			US 5872077 A	16-02-1999
			ZA 9205164 A	31-03-1993
DE 19955662	A	23-05-2001	DE 19955662 A1	23-05-2001
			AU 1519401 A	04-06-2001
			BR 0015670 A	23-07-2002
			CN 1391441 T	15-01-2003
			WO 0137652 A2	31-05-2001
WO 9913723	A	25-03-1999	AU 744073 B2	14-02-2002
			AU 9479198 A	05-04-1999
			BR 9812227 A	18-07-2000
			CA 2303143 A1	25-03-1999
			CN 1270500 T	18-10-2000
			EP 1017281 A1	12-07-2000
			HU 0003786 A2	28-03-2001

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/10541

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9913723	A		JP 11246316 A	14-09-1999
			JP 2001516697 T	02-10-2001
			NZ 503597 A	28-06-2002
			SK 3752000 A3	07-11-2000
			TW 471950 B	11-01-2002
			WO 9913723 A1	25-03-1999
			ZA 9808529 A	22-03-2000

DE 19635060	A	05-03-1998	DE 19635060 A1	05-03-1998
			US 5968873 A	19-10-1999

WO 0122819	A	05-04-2001	DE 19962017 A1	05-04-2001
			AU 7519800 A	30-04-2001
			BR 0014670 A	18-06-2002
			CN 1378424 T	06-11-2002
			CZ 20021141 A3	12-06-2002
			WO 0122819 A1	05-04-2001
			EP 1221848 A1	17-07-2002
			HU 0202780 A2	28-12-2002

WO 0124633	A	12-04-2001	DE 19947918 A1	12-04-2001
			AU 7781200 A	10-05-2001
			WO 0124633 A2	12-04-2001
			EP 1221844 A2	17-07-2002

THIS PAGE BLANK (USPTO)